



## Select 200 Hand chain hoist (high capacities)

### Product information



The Rema<sup>®</sup> Select 200 is a robust manual chain hoist for heavy and intensive use where safety, ergonomics and a low operating effort are paramount.

#### Properties

- Equipped with a double pawl system.
- Brake is provided with asbestos free friction discs.
- Top and bottom hook have safety latches.
- In case of overload, the hooks will gradually bend and do not suddenly break off.
- Galvanized load chain Grade 8.
- Galvanized hand chain.

#### Standard delivery

- 3 meters lifting height (max. between top and bottom hook).
- 2.5 meters operating height.
- Excluding overload protection.

#### Option

- Available in any other lifting and operational heights.



**Marking:** According to standard, CE-marked

**Standard:** EN 13157, EN 818-7

| Part Code  | GTIN No.      | WLL<br>ton | Lifting height<br>m | Model             | Load Chain dia x pitch<br>mm | Hand Chain Ø x pitch<br>mm | Chain falls | Construction height<br>mm | Hand force max.<br>kg | A<br>mm | B<br>mm | C<br>mm | D<br>mm | H<br>mm | Weight<br>kg |
|------------|---------------|------------|---------------------|-------------------|------------------------------|----------------------------|-------------|---------------------------|-----------------------|---------|---------|---------|---------|---------|--------------|
| 0120017-4  | 8717365174759 | 15         | 4                   | S200/15.000KG/4M  | 9.0 x 27                     | 5.0 x 23.7                 | 6           | 920                       | 40                    | 386     | 183     | 62      | 77      | 920     | 127          |
| 0120017-5  | 8717365174766 | 15         | 5                   | S200/15.000KG/5M  | 9.0 x 27                     | 5.0 x 23.7                 | 6           | 920                       | 40                    | 386     | 183     | 62      | 77      | 920     | 140          |
| 0120017-3  | 8717365174742 | 15         | 3                   | S200/15.000KG/3M  | 9.0 x 27                     | 5.0 x 23.7                 | 6           | 920                       | 40                    | 386     | 183     | 62      | 77      | 920     | 162,6        |
| 0120017-6  | 8717365174773 | 15         | 6                   | S200/15.000KG/6M  | 9.0 x 27                     | 5.0 x 23.7                 | 6           | 920                       | 40                    | 386     | 183     | 62      | 77      | 920     | 162,6        |
| 0120017-7  | 8717365174780 | 15         | 7                   | S200/15.000KG/7M  | 9.0 x 27                     | 5.0 x 23.7                 | 6           | 920                       | 40                    | 386     | 183     | 62      | 77      | 920     | 163          |
| 0120017-8  | 8717365174797 | 15         | 8                   | S200/15.000KG/8M  | 9.0 x 27                     | 5.0 x 23.7                 | 6           | 920                       | 40                    | 386     | 183     | 62      | 77      | 920     | 175          |
| 0120017-9  | 8717365174803 | 15         | 9                   | S200/15.000KG/9M  | 9.0 x 27                     | 5.0 x 23.7                 | 6           | 920                       | 40                    | 386     | 183     | 62      | 77      | 920     | 187          |
| 0120017-10 | 8717365174810 | 15         | 10                  | S200/15.000KG/10M | 9.0 x 27                     | 5.0 x 23.7                 | 6           | 920                       | 40                    | 386     | 183     | 62      | 77      | 920     | 199          |
| 0120019-4  | 8717365174834 | 20         | 4                   | S200/20.000KG/4M  | 9.0 x 27                     | 5.0 x 23.7 (2x)            | 8           | 1 060                     | 40                    | 577     | 183     | 75      | 90      | 1 060   | 164          |
| 0120019-5  | 8717365174841 | 20         | 5                   | S200/20.000KG/5M  | 9.0 x 27                     | 5.0 x 23.7 (2x)            | 8           | 1 060                     | 40                    | 577     | 183     | 75      | 90      | 1 060   | 180          |
| 0120019-3  | 8717365174827 | 20         | 3                   | S200/20.000KG/3M  | 9.0 x 27                     | 5.0 x 23.7 (2x)            | 8           | 1 060                     | 40                    | 577     | 183     | 75      | 90      | 1 060   | 186          |
| 0120019-6  | 8717365174858 | 20         | 6                   | S200/20.000KG/6M  | 9.0 x 27                     | 5.0 x 23.7 (2x)            | 8           | 1 060                     | 40                    | 577     | 183     | 75      | 90      | 1 060   | 186          |
| 0120019-7  | 8717365174865 | 20         | 7                   | S200/20.000KG/7M  | 9.0 x 27                     | 5.0 x 23.7 (2x)            | 8           | 1 060                     | 40                    | 577     | 183     | 75      | 90      | 1 060   | 212          |
| 0120019-8  | 8717365174872 | 20         | 8                   | S200/20.000KG/8M  | 9.0 x 27                     | 5.0 x 23.7 (2x)            | 8           | 1 060                     | 40                    | 577     | 183     | 75      | 90      | 1 060   | 229          |
| 0120019-9  | 8717365174889 | 20         | 9                   | S200/20.000KG/9M  | 9.0 x 27                     | 5.0 x 23.7 (2x)            | 8           | 1 060                     | 40                    | 577     | 183     | 75      | 90      | 1 060   | 245          |
| 0120019-10 | 8717365174896 | 20         | 10                  | S200/20.000KG/10M | 9.0 x 27                     | 5.0 x 23.7 (2x)            | 8           | 1 060                     | 40                    | 577     | 183     | 75      | 90      | 1 060   | 262          |
| 0120021-3  | 8717365177880 | 30         | 3                   | S200/30000KG/3M   | 10.0 x 28                    | 5.0 x 23.7 (2x)            | 12          | 980                       | 40                    | 705     | 452     | 85      | 110     | 1 450   | 200          |

## Blueprint

