



## Select 200 Hand chain hoist

### Product information



The Rema<sup>®</sup> Select 200 OD is equipped with an overload protection from 500 kg. It is a robust manual chain hoist for heavy and intensive use where safety, ergonomics and a low operating effort are paramount.

#### Properties

- The new innovative overload protection ensures an improved safer operation of the hoist.
- Overload device system makes it possible to lower the load in a controlled way.
- Equipped with a double pawl system.
- Brake is provided with asbestos free friction discs.
- Top and bottom hooks are equipped with a robust latches.
- Load hooks gradually bend and do not break off suddenly.
- Galvanized load chain Grade 8.
- Galvanized hand chain.

#### Standard delivery

- 3 meters lifting height (max. between top and bottom hook).
- 2.5 meters operating height.
- Overload protection from 500 kg up to 10.000 kg.

#### Option

- Available in any other hoisting and operational heights.
- Chain bucket available up to 10 meter lifting height from 500 kg till 2000 kg.
- Short height in combination with REMA 211/212 trolley bij intermediate link, which replace the top hook.

#### Warning

- \* = without overload protection.

#### Norm:

- EN12100-1/2, EN13157, EN818-7

**Marking:** According to standard, CE-marked

**Standard:** EN 13157, EN 818-7

| Part Code  | GTIN No.      | WLL  | Lifting height<br>ton<br>m | Model            | Load Chain dia x pitch<br>mm | Hand Chain Ø x pitch<br>mm | Chain falls | Construction height<br>mm | Hand force max.<br>kg | A   | B   | C  | D  | H   | Weight<br>kg | Delivery time |
|------------|---------------|------|----------------------------|------------------|------------------------------|----------------------------|-------------|---------------------------|-----------------------|-----|-----|----|----|-----|--------------|---------------|
| 0120000-3  | 8717365263637 | 0.25 | 3                          | S200-250KG*-3M   | 4.0 x 12                     | 5.0 x 23.7                 | 1           | 260                       | 23.5                  | 108 | 106 | 20 | 30 | 260 | 6            | 7             |
| 0120000-4  | 8717365263644 | 0.25 | 4                          | S200/250KG/4M    | 4.0 x 12                     | 5.0 x 23.7                 | 1           | 260                       | 23.5                  | 108 | 106 | 20 | 30 | 260 | 7.4          | 7             |
| 0120000-5  | 8717365263651 | 0.25 | 5                          | S200/250KG/5M    | 4.0 x 12                     | 5.0 x 23.7                 | 1           | 260                       | 23.5                  | 108 | 106 | 20 | 30 | 260 | 8.8          | 7             |
| 0120000-6  | 8717365263668 | 0.25 | 6                          | S200-250KG*-6M   | 4.0 x 12                     | 5.0 x 23.7                 | 1           | 260                       | 23.5                  | 108 | 106 | 20 | 30 | 260 | 10.2         | 7             |
| 0120000-7  | 8717365092572 | 0.25 | 7                          | S200/250KG/7M    | 4.0 x 12                     | 5.0 x 23.7                 | 1           | 260                       | 23.5                  | 108 | 106 | 20 | 30 | 260 | 11.6         | 7             |
| 0120000-8  | 8717365092589 | 0.25 | 8                          | S200/250KG/8M    | 4.0 x 12                     | 5.0 x 23.7                 | 1           | 260                       | 23.5                  | 108 | 106 | 20 | 30 | 260 | 13           | 7             |
| 0120000-9  | 8717365092596 | 0.25 | 9                          | S200/250KG/9M    | 4.0 x 12                     | 5.0 x 23.7                 | 1           | 260                       | 23.5                  | 108 | 106 | 20 | 30 | 260 | 14.4         | 7             |
| 0120000-10 | 8717365092602 | 0.25 | 10                         | S200/250KG/10M   | 4.0 x 12                     | 5.0 x 23.7                 | 1           | 260                       | 23.5                  | 108 | 106 | 20 | 30 | 260 | 15.8         | 7             |
| 0120001-3  | 8717365263675 | 0.5  | 3                          | S200OD-500KG-3M  | 5.0 x 15                     | 5.0 x 23.7                 | 1           | 280                       | 24.9                  | 130 | 128 | 22 | 34 | 280 | 10           | 7             |
| 0120001-4  | 8717365263682 | 0.5  | 4                          | S200OD/500KG/4M  | 5.0 x 15                     | 5.0 x 23.7                 | 1           | 280                       | 24.9                  | 130 | 128 | 22 | 34 | 280 | 11.6         | 7             |
| 0120001-5  | 8717365263699 | 0.5  | 5                          | S200OD/500KG/5M  | 5.0 x 15                     | 5.0 x 23.7                 | 1           | 280                       | 24.9                  | 130 | 128 | 22 | 34 | 280 | 13.2         | 7             |
| 0120001-6  | 8717365263705 | 0.5  | 6                          | S200OD-500KG-6M  | 5.0 x 15                     | 5.0 x 23.7                 | 1           | 280                       | 24.9                  | 130 | 128 | 22 | 34 | 280 | 14.8         | 7             |
| 0120001-7  | 8717365092619 | 0.5  | 7                          | S200OD/500KG/7M  | 5.0 x 15                     | 5.0 x 23.7                 | 1           | 280                       | 24.9                  | 130 | 128 | 22 | 34 | 280 | 16.4         | 7             |
| 0120001-8  | 8717365092626 | 0.5  | 8                          | S200OD/500KG/8M  | 5.0 x 15                     | 5.0 x 23.7                 | 1           | 280                       | 24.9                  | 130 | 128 | 22 | 34 | 280 | 18           | 7             |
| 0120001-9  | 8717365092633 | 0.5  | 9                          | S200OD/500KG/9M  | 5.0 x 15                     | 5.0 x 23.7                 | 1           | 280                       | 24.9                  | 130 | 128 | 22 | 34 | 280 | 19.6         | 7             |
| 0120001-10 | 8717365092640 | 0.5  | 10                         | S200OD/500KG/10M | 5.0 x 15                     | 5.0 x 23.7                 | 1           | 280                       | 24.9                  | 130 | 128 | 22 | 34 | 280 | 21.2         | 7             |
| 0120003-3  | 8717365263712 | 1    | 3                          | S200OD-1000KG-3M | 6.3 x 19                     | 5.0 x 23.7                 | 1           | 330                       | 28.4                  | 150 | 142 | 26 | 39 | 330 | 12           | 7             |
| 0120003-4  | 8717365263729 | 1    | 4                          | S200OD/1000KG/4M | 6.3 x 19                     | 5.0 x 23.7                 | 1           | 330                       | 28.4                  | 150 | 142 | 26 | 39 | 330 | 13.9         | 7             |
| 0120003-5  | 8717365263736 | 1    | 5                          | S200OD/1000KG/5M | 6.3 x 19                     | 5.0 x 23.7                 | 1           | 330                       | 28.4                  | 150 | 142 | 26 | 39 | 330 | 15.8         | 7             |
| 0120003-6  | 8717365263743 | 1    | 6                          | S200OD-1000KG-6M | 6.3 x 19                     | 5.0 x 23.7                 | 1           | 330                       | 28.4                  | 150 | 142 | 26 | 39 | 330 | 17.7         | 7             |

|            |               |     |    |                   |          |            |   |     |      |     |     |    |    |     |      |   |
|------------|---------------|-----|----|-------------------|----------|------------|---|-----|------|-----|-----|----|----|-----|------|---|
| 0120003-7  | 8717365092657 | 1   | 7  | S200OD/1000KG/7M  | 6.3 x 19 | 5.0 x 23.7 | 1 | 330 | 28.4 | 150 | 142 | 26 | 39 | 330 | 19.6 | 7 |
| 0120003-8  | 8717365092664 | 1   | 8  | S200OD/1000KG/8M  | 6.3 x 19 | 5.0 x 23.7 | 1 | 330 | 28.4 | 150 | 142 | 26 | 39 | 330 | 21.5 | 7 |
| 0120003-9  | 8717365092671 | 1   | 9  | S200OD/1000KG/9M  | 6.3 x 19 | 5.0 x 23.7 | 1 | 330 | 28.4 | 150 | 142 | 26 | 39 | 330 | 23.4 | 7 |
| 0120003-10 | 8717365092688 | 1   | 10 | S200OD/1000KG/10M | 6.3 x 19 | 5.0 x 23.7 | 1 | 330 | 28.4 | 150 | 142 | 26 | 39 | 330 | 25.3 | 7 |
| 0120005-3  | 8717365263750 | 1.5 | 3  | S200OD-1500KG-3M  | 7.1 x 21 | 5.0 x 23.7 | 1 | 360 | 30.8 | 170 | 158 | 29 | 42 | 360 | 16   | 7 |
| 0120005-4  | 8717365263767 | 1.5 | 4  | S200OD/1500KG/4M  | 7.1 x 21 | 5.0 x 23.7 | 1 | 360 | 30.8 | 170 | 158 | 29 | 42 | 360 | 18.2 | 7 |
| 0120005-5  | 8717365263774 | 1.5 | 5  | S200OD/1500KG/5M  | 7.1 x 21 | 5.0 x 23.7 | 1 | 360 | 30.8 | 170 | 158 | 29 | 42 | 360 | 20.4 | 7 |
| 0120005-6  | 8717365263781 | 1.5 | 6  | S200OD-1500KG-6M  | 7.1 x 21 | 5.0 x 23.7 | 1 | 360 | 30.8 | 170 | 158 | 29 | 42 | 360 | 22.6 | 7 |
| 0120005-7  | 8717365092695 | 1.5 | 7  | S200OD/1500KG/7M  | 7.1 x 21 | 5.0 x 23.7 | 1 | 360 | 30.8 | 170 | 158 | 29 | 42 | 360 | 24.8 | 7 |
| 0120005-8  | 8717365092701 | 1.5 | 8  | S200OD/1500KG/8M  | 7.1 x 21 | 5.0 x 23.7 | 1 | 360 | 30.8 | 170 | 158 | 29 | 42 | 360 | 27   | 7 |
| 0120005-9  | 8717365092718 | 1.5 | 9  | S200OD/1500KG/9M  | 7.1 x 21 | 5.0 x 23.7 | 1 | 360 | 30.8 | 170 | 158 | 29 | 42 | 360 | 29.2 | 7 |
| 0120005-10 | 8717365092725 | 1.5 | 10 | S200OD/1500KG/10M | 7.1 x 21 | 5.0 x 23.7 | 1 | 360 | 30.8 | 170 | 158 | 29 | 42 | 360 | 31.4 | 7 |
| 0120007-3  | 8717365263798 | 2   | 3  | S200OD-2000KG-3M  | 8.0 x 24 | 5.0 x 23.7 | 1 | 385 | 34.3 | 185 | 175 | 35 | 49 | 385 | 20   | 7 |
| 0120007-4  | 8717365263804 | 2   | 4  | S200OD/2000KG/4M  | 8.0 x 24 | 5.0 x 23.7 | 1 | 385 | 34.3 | 185 | 175 | 35 | 49 | 385 | 22.4 | 7 |
| 0120007-5  | 8717365263811 | 2   | 5  | S200OD/2000KG/5M  | 8.0 x 24 | 5.0 x 23.7 | 1 | 385 | 34.3 | 185 | 175 | 35 | 49 | 385 | 24.8 | 7 |
| 0120007-6  | 8717365263828 | 2   | 6  | S200OD-2000KG-6M  | 8.0 x 24 | 5.0 x 23.7 | 1 | 385 | 34.3 | 185 | 175 | 35 | 49 | 385 | 27.2 | 7 |
| 0120007-7  | 8717365092732 | 2   | 7  | S200OD/2000KG/7M  | 8.0 x 24 | 5.0 x 23.7 | 1 | 385 | 34.3 | 185 | 175 | 35 | 49 | 385 | 29.6 | 7 |
| 0120007-8  | 8717365092749 | 2   | 8  | S200OD/2000KG/8M  | 8.0 x 24 | 5.0 x 23.7 | 1 | 385 | 34.3 | 185 | 175 | 35 | 49 | 385 | 32   | 7 |
| 0120007-9  | 8717365092756 | 2   | 9  | S200OD/2000KG/9M  | 8.0 x 24 | 5.0 x 23.7 | 1 | 385 | 34.3 | 185 | 175 | 35 | 49 | 385 | 34.4 | 7 |
| 0120007-10 | 8717365092763 | 2   | 10 | S200OD/2000KG/10M | 8.0 x 24 | 5.0 x 23.7 | 1 | 385 | 34.3 | 185 | 175 | 35 | 49 | 385 | 36.8 | 7 |
| 0120009    | 8717365261657 | 3   | -  | S200OD-3000KG     | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 24   | 3 |
| 0120009-3  | 8717365263835 | 3   | 3  | S200OD-3000KG-3M  | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 26   | 7 |
| 0120009-4  | 8717365263842 | 3   | 4  | S200OD/3000KG/4M  | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 29.4 | 7 |

|            |               |     |    |                   |          |            |   |     |      |     |     |    |    |     |      |   |
|------------|---------------|-----|----|-------------------|----------|------------|---|-----|------|-----|-----|----|----|-----|------|---|
| 0120009-5  | 8717365263859 | 3   | 5  | S200OD/3000KG/5M  | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 32.8 | 7 |
| 0120009-6  | 8717365263866 | 3   | 6  | S200OD-3000KG-6M  | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 36.2 | 7 |
| 0120009-7  | 8717365092770 | 3   | 7  | S200OD/3000KG/7M  | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 39.6 | 7 |
| 0120009-8  | 8717365092787 | 3   | 8  | S200OD/3000KG/8M  | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 43   | 7 |
| 0120009-9  | 8717365092794 | 3   | 9  | S200OD/3000KG/9M  | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 46.4 | 7 |
| 0120009-10 | 8717365092800 | 3   | 10 | S200OD/3000KG/10M | 7.1 x 19 | 5.0 x 23.7 | 2 | 510 | 34.3 | 220 | 158 | 37 | 50 | 510 | 49.8 | 7 |
| 0120011-3  | 8717365263873 | 5   | 3  | S200OD-5000KG-3M  | 9.0 x 27 | 5.0 x 23.7 | 2 | 615 | 37.2 | 255 | 183 | 43 | 60 | 615 | 41.5 | 7 |
| 0120011-4  | 8717365263880 | 5   | 4  | S200OD/5000KG/4M  | 9.0 x 27 | 5.0 x 23.7 | 2 | 615 | 37.2 | 255 | 183 | 43 | 60 | 615 | 46   | 7 |
| 0120011-5  | 8717365263897 | 5   | 5  | S200OD/5000KG/5M  | 9.0 x 27 | 5.0 x 23.7 | 2 | 615 | 37.2 | 255 | 183 | 43 | 60 | 615 | 50.5 | 7 |
| 0120011-6  | 8717365263903 | 5   | 6  | S200OD-5000KG-6M  | 9.0 x 27 | 5.0 x 23.7 | 2 | 615 | 37.2 | 255 | 183 | 43 | 60 | 615 | 55   | 7 |
| 0120011-7  | 8717365092817 | 5   | 7  | S200OD/5000KG/7M  | 9.0 x 27 | 5.0 x 23.7 | 2 | 615 | 37.2 | 255 | 183 | 43 | 60 | 615 | 59.5 | 7 |
| 0120011-8  | 8717365092824 | 5   | 8  | S200OD/5000KG/8M  | 9.0 x 27 | 5.0 x 23.7 | 2 | 615 | 37.2 | 255 | 183 | 43 | 60 | 615 | 64   | 7 |
| 0120011-9  | 8717365092831 | 5   | 9  | S200OD/5000KG/9M  | 9.0 x 27 | 5.0 x 23.7 | 2 | 615 | 37.2 | 255 | 183 | 43 | 60 | 615 | 68.5 | 7 |
| 0120011-10 | 8717365092848 | 5   | 10 | S200OD/5000KG/10M | 9.0 x 27 | 5.0 x 23.7 | 2 | 615 | 37.2 | 255 | 183 | 43 | 60 | 615 | 73   | 7 |
| 0120013-3  | 8717365174582 | 7.5 | 3  | S200OD-7500KG-3M  | 9.0 x 27 | 5.0 x 23.7 | 3 | 690 | 36.8 | 430 | 189 | 47 | 67 | 690 | 50   | 7 |
| 0120013-4  | 8717365174599 | 7.5 | 4  | S200OD/7500KG/4M  | 9.0 x 27 | 5.0 x 23.7 | 3 | 690 | 36.8 | 430 | 189 | 47 | 67 | 690 | 57   | 7 |
| 0120013-5  | 8717365174605 | 7.5 | 5  | S200OD/7500KG/5M  | 9.0 x 27 | 5.0 x 23.7 | 3 | 690 | 36.8 | 430 | 189 | 47 | 67 | 690 | 64   | 7 |
| 0120013-6  | 8717365174612 | 7.5 | 6  | S200OD-7500KG-6M  | 9.0 x 27 | 5.0 x 23.7 | 3 | 690 | 36.8 | 430 | 189 | 47 | 67 | 690 | 71   | 7 |
| 0120013-7  | 8717365174629 | 7.5 | 7  | S200OD/7500KG/7M  | 9.0 x 27 | 5.0 x 23.7 | 3 | 690 | 36.8 | 430 | 189 | 47 | 67 | 690 | 77   | 7 |
| 0120013-8  | 8717365174636 | 7.5 | 8  | S200OD/7500KG/8M  | 9.0 x 27 | 5.0 x 23.7 | 3 | 690 | 36.8 | 430 | 189 | 47 | 67 | 690 | 84   | 7 |
| 0120013-9  | 8717365174643 | 7.5 | 9  | S200OD/7500KG/9M  | 9.0 x 27 | 5.0 x 23.7 | 3 | 690 | 36.8 | 430 | 189 | 47 | 67 | 690 | 91   | 7 |
| 0120013-10 | 8717365174650 | 7.5 | 10 | S200OD/7500KG/10M | 9.0 x 27 | 5.0 x 23.7 | 3 | 690 | 36.8 | 430 | 189 | 47 | 67 | 690 | 98   | 7 |
| 0120015-3  | 8717365174667 | 10  | 3  | S200OD-10000KG-3M | 9.0 x 27 | 5.0 x 23.7 | 4 | 820 | 40   | 360 | 183 | 47 | 65 | 820 | 75   | 7 |

|            |               |    |    |                     |          |            |   |     |    |     |     |    |    |     |     |   |
|------------|---------------|----|----|---------------------|----------|------------|---|-----|----|-----|-----|----|----|-----|-----|---|
| 0120015-4  | 8717365174674 | 10 | 4  | S200OD/10.000KG/4M  | 9.0 x 27 | 5.0 x 23.7 | 4 | 820 | 40 | 360 | 183 | 47 | 65 | 820 | 83  | 7 |
| 0120015-5  | 8717365174681 | 10 | 5  | S200OD/10.000KG/5M  | 9.0 x 27 | 5.0 x 23.7 | 4 | 820 | 40 | 360 | 183 | 47 | 65 | 820 | 91  | 7 |
| 0120015-6  | 8717365174698 | 10 | 6  | S200OD-10000KG-6M   | 9.0 x 27 | 5.0 x 23.7 | 4 | 820 | 40 | 360 | 183 | 47 | 65 | 820 | 99  | 7 |
| 0120015-7  | 8717365174704 | 10 | 7  | S200OD/10.000KG/7M  | 9.0 x 27 | 5.0 x 23.7 | 4 | 820 | 40 | 360 | 183 | 47 | 65 | 820 | 107 | 7 |
| 0120015-8  | 8717365174711 | 10 | 8  | S200OD/10.000KG/8M  | 9.0 x 27 | 5.0 x 23.7 | 4 | 820 | 40 | 360 | 183 | 47 | 65 | 820 | 115 | 7 |
| 0120015-9  | 8717365174728 | 10 | 9  | S200OD/10.000KG/9M  | 9.0 x 27 | 5.0 x 23.7 | 4 | 820 | 40 | 360 | 183 | 47 | 65 | 820 | 123 | 7 |
| 0120015-10 | 8717365174735 | 10 | 10 | S200OD/10.000KG/10M | 9.0 x 27 | 5.0 x 23.7 | 4 | 820 | 40 | 360 | 183 | 47 | 65 | 820 | 131 | 7 |

## Blueprint

