



S20P Low headroom Hoist/Push trolley combination

Product information



These low headroom hoist-trolley combinations are only supplied with Rema® Select 200OD hand chain hoist.

Properties

- Low headroom.
- Push trolley.
- Technical detail hand chain hoist, see Select 200OD.
- Wheel fracture support devices for additional safety.
- Adjustable to allow attachment to different beam sizes..

Standard delivery

- Included trolley.
- 3 meters lifting height (max. between top and bottom hook).
- 2.5 m operating height.

Option

- Available in other lifting and operating height on request.

Marking: According to standard, CE-marked

Standard: EN 13157, EN 818-7

Part Code	GTIN No.	WLL ton	Lifting height m	Beam width mm	Model	Wheels diameter mm	Load Chain dia x pitch mm	Hand Chain Ø x pitch mm	Chain falls	Minimum radius mm	A	B	C	min F	H	min M	S	Z	Weight kg	Delivery time
-----------	----------	---------	------------------	---------------	-------	--------------------	---------------------------	-------------------------	-------------	-------------------	---	---	---	-------	---	-------	---	---	-----------	---------------

0930001-38717365117183	0.5	3	50-203	S20P/200OD/0.5T/3M	55	5.0 x 15	5.0 x 23.7	1	800	265 258 310.5	1.5- 3	243.5	50- 203	30	9	18	7	
0930001-48717365117190	0.5	4	50-203	S20P/200OD/0.5T/4M	55	5.0 x 15	5.0 x 23.7	1	800	265 258 310.5	1.5- 3	243.5	50- 203	30	9	20	7	
0930001-58717365117206	0.5	5	50-203	S20P/200OD/0.5T/5M	55	5.0 x 15	5.0 x 23.7	1	800	265 258 310.5	1.5- 3	243.5	50- 203	30	9	21.5	7	
0930001-68717365117213	0.5	6	50-203	S20P/200OD/0.5T/6M	55	5.0 x 15	5.0 x 23.7	1	800	265 258 310.5	1.5- 3	243.5	50- 203	30	9	23	7	
0930001-78717365117220	0.5	7	50-203	S20P/200OD/0.5T/7M	55	5.0 x 15	5.0 x 23.7	1	800	265 258 310.5	1.5- 3	243.5	50- 203	30	9	25	7	
0930001-88717365117237	0.5	8	50-203	S20P/200OD/0.5T/8M	55	5.0 x 15	5.0 x 23.7	1	800	265 258 310.5	1.5- 3	243.5	50- 203	30	9	26	7	
0930001-98717365117244	0.5	9	50-203	S20P/200OD/0.5T/9M	55	5.0 x 15	5.0 x 23.7	1	800	265 258 310.5	1.5- 3	243.5	50- 203	30	9	28	7	
0930001- 10	8717365117251	0.5	10	50-203	S20P/200OD/0.5T/10M	55	5.0 x 15	5.0 x 23.7	1	800	265 258 310.5	1.5- 3	243.5	50- 203	30	9	30	7
0930003-38717365117268	1	3	64-305	S20P/200OD/1T/3M	68	6.3 x 19.1	5.0 x 23.7	1	900	385 292 420	1.5- 3	340	64- 305	37	8	28	7	
0930003-48717365117275	1	4	64-305	S20P/200OD/1T/4M	68	6.3 x 19.1	5.0 x 23.7	1	900	385 292 420	1.5- 3	340	64- 305	37	8	30	7	
0930003-58717365117282	1	5	64-305	S20P/200OD/1T/5M	68	6.3 x 19.1	5.0 x 23.7	1	900	385 292 420	1.5- 3	340	64- 305	37	8	32	7	
0930003-68717365117299	1	6	64-305	S20P/200OD/1T/6M	68	6.3 x 19.1	5.0 x 23.7	1	900	385 292 420	1.5- 3	340	64- 305	37	8	34	7	
0930003-78717365117305	1	7	64-305	S20P/200OD/1T/7M	68	6.3 x 19.1	5.0 x 23.7	1	900	385 292 420	1.5- 3	340	64- 305	37	8	36	7	
0930003-88717365117312	1	8	64-305	S20P/200OD/1T/8M	68	6.3 x 19.1	5.0 x 23.7	1	900	385 292 420	1.5- 3	340	64- 305	37	8	38	7	
0930003-98717365117329	1	9	64-305	S20P/200OD/1T/9M	68	6.3 x 19.1	5.0 x 23.7	1	900	385 292 420	1.5- 3	340	64- 305	37	8	40	7	
0930003- 10	8717365117336	1	10	64-305	S20P/200OD/1T/10M	68	6.3 x 19.1	5.0 x 23.7	1	900	385 292 420	1.5- 3	340	64- 305	37	8	41	7

0930005-38717365117343	1.5	3	88-305	S20P/200OD/1.5T/3M	80	7.1 x 21	5.0 x 23.7	1	1,000	396	360	460	1.5- 3	380	88- 305	39	10	40	7	
0930005-48717365117350	1.5	4	88-305	S20P/200OD/1.5T/4M	80	7.1 x 21	5.0 x 23.7	1	1,000	396	360	460	1.5- 3	380	88- 305	39	10	42	7	
0930005-58717365117367	1.5	5	88-305	S20P/200OD/1.5T/5M	80	7.1 x 21	5.0 x 23.7	1	1,000	396	360	460	1.5- 3	380	88- 305	39	10	44	7	
0930005-68717365117374	1.5	6	88-305	S20P/200OD/1.5T/6M	80	7.1 x 21	5.0 x 23.7	1	1,000	396	360	460	1.5- 3	380	88- 305	39	10	46	7	
0930005-78717365117381	1.5	7	88-305	S20P/200OD/1.5T/7M	80	7.1 x 21	5.0 x 23.7	1	1,000	396	360	460	1.5- 3	380	88- 305	39	10	48	7	
0930005-88717365117398	1.5	8	88-305	S20P/200OD/1.5T/8M	80	7.1 x 21	5.0 x 23.7	1	1,000	396	360	460	1.5- 3	380	88- 305	39	10	50	7	
0930005-98717365117404	1.5	9	88-305	S20P/200OD/1.5T/9M	80	7.1 x 21	5.0 x 23.7	1	1,000	396	360	460	1.5- 3	380	88- 305	39	10	52	7	
0930005- 10	8717365117411	1.5	10	88-305	S20P/200OD/1.5T/10M	80	7.1 x 21	5.0 x 23.7	1	1,000	396	360	460	1.5- 3	380	88- 305	39	10	55.5	7
0930007-38717365117428	2	3	88-305	S20P/200OD/2T/3M	80	8.0 x 24	5.0 x 23.7	1	1,000	396	360	500	1.5- 3	405	88- 305	38	10	44.5	7	
0930007-48717365117435	2	4	88-305	S20P/200OD/2T/4M	80	8.0 x 24	5.0 x 23.7	1	1,000	396	360	500	1.5- 3	405	88- 305	38	10	47	7	
0930007-58717365117442	2	5	88-305	S20P/200OD/2T/5M	80	8.0 x 24	5.0 x 23.7	1	1,000	396	360	500	1.5- 3	405	88- 305	38	10	49	7	
0930007-68717365117459	2	6	88-305	S20P/200OD/2T/6M	80	8.0 x 24	5.0 x 23.7	1	1,000	396	360	500	1.5- 3	405	88- 305	38	10	52	7	
0930007-78717365117466	2	7	88-305	S20P/200OD/2T/7M	80	8.0 x 24	5.0 x 23.7	1	1,000	396	360	500	1.5- 3	405	88- 305	38	10	54	7	
0930007-88717365117473	2	8	88-305	S20P/200OD/2T/8M	80	8.0 x 24	5.0 x 23.7	1	1,000	396	360	500	1.5- 3	405	88- 305	38	10	56.5	7	
0930007-98717365117480	2	9	88-305	S20P/200OD/2T/9M	80	8.0 x 24	5.0 x 23.7	1	1,000	396	360	500	1.5- 3	405	88- 305	38	10	59	7	
0930007- 10	8717365117497	2	10	88-305	S20P/200OD/2T/10M	80	8.0 x 24	5.0 x 23.7	1	1,000	396	360	500	1.5- 3	405	88- 305	38	10	61	7

0930009-38717365117503	3	3	100-305	S20P/200OD/3T/3M	100	7.1 x 21	5.0 x 23.7	2	1,200	407	430	590	1.5- 3	475	100- 305	42	12	66	7
0930009-48717365117510	3	4	100-305	S20P/200OD/3T/4M	100	7.1 x 21	5.0 x 23.7	2	1,200	407	430	590	1.5- 3	475	100- 305	42	12	70	7
0930009-58717365117527	3	5	100-305	S20P/200OD/3T/5M	100	7.1 x 21	5.0 x 23.7	2	1,200	407	430	590	1.5- 3	475	100- 305	42	12	73	7
0930009-68717365117534	3	6	100-305	S20P/200OD/3T/6M	100	7.1 x 21	5.0 x 23.7	2	1,200	407	430	590	1.5- 3	475	100- 305	42	12	76.5	7
0930009-78717365117541	3	7	100-305	S20P/200OD/3T/7M	100	7.1 x 21	5.0 x 23.7	2	1,200	407	430	590	1.5- 3	475	100- 305	42	12	80	7
0930009-88717365117558	3	8	100-305	S20P/200OD/3T/8M	100	7.1 x 21	5.0 x 23.7	2	1,200	407	430	590	1.5- 3	475	100- 305	42	12	83	7
0930009-98717365117565	3	9	100-305	S20P/200OD/3T/9M	100	7.1 x 21	5.0 x 23.7	2	1,200	407	430	590	1.5- 3	475	100- 305	42	12	86.5	7
0930009-10 8717365117572	3	10	100-305	S20P/200OD/3T/10M	100	7.1 x 21	5.0 x 23.7	2	1,200	407	430	590	1.5- 3	475	100- 305	42	12	90	7
0930011-38717365117589	5	3	114-305	S20P/200OD/5T/3M	110	9.0 x 27	5.0 x 23.7	2	1,300	420	420	725	1.5- 3	610	114- 305	41.5	16	108	7
0930011-48717365117596	5	4	114-305	S20P/200OD/5T/4M	110	9.0 x 27	5.0 x 23.7	2	1,300	420	420	725	1.5- 3	610	114- 305	41.5	16	112.5	7
0930011-58717365117602	5	5	114-305	S20P/200OD/5T/5M	110	9.0 x 27	5.0 x 23.7	2	1,300	420	420	725	1.5- 3	610	114- 305	41.5	16	117	7
0930011-68717365117619	5	6	114-305	S20P/200OD/5T/6M	110	9.0 x 27	5.0 x 23.7	2	1,300	420	420	725	1.5- 3	610	114- 305	41.5	16	121.5	7
0930011-78717365117626	5	7	114-305	S20P/200OD/5T/7M	110	9.0 x 27	5.0 x 23.7	2	1,300	420	420	725	1.5- 3	610	114- 305	41.5	16	126	7
0930011-88717365117633	5	8	114-305	S20P/200OD/5T/8M	110	9.0 x 27	5.0 x 23.7	2	1,300	420	420	725	1.5- 3	610	114- 305	41.5	16	130.5	7
0930011-98717365117640	5	9	114-305	S20P/200OD/5T/9M	110	9.0 x 27	5.0 x 23.7	2	1,300	420	420	725	1.5- 3	610	114- 305	41.5	16	135	7
0930011-10 8717365117657	5	10	114-305	S20P/200OD/5T/10M	110	9.0 x 27	5.0 x 23.7	2	1,300	420	420	725	1.5- 3	610	114- 305	41.5	16	140	7

Blueprint

