


S1 polyester flat webbing slings with reinforced eyes

Product information



This professional webbing sling is extremely suitable for intensive industrial use.

Packaging



Packaged in semi-biodegradable plastic.

Properties

- Duplex hoisting belt; double strap layers.
- Extra strong, water- and dirt-repellent, impregnated fabric guarantees a longer life.
- WLL stripes, each stripe is 1 ton (up to 10 tons).
- Every 30 mm band width is 1 ton load capacity.

Material: polyester

Marking: According to standard, CE-marked

Standard: EN 1492-1

Note: Packed in plastic including REMA manual.

Part Code	WLL
1211031	1
1211033	1
1211037	1
1211035	1
1211039	1
1211041	1
1211043	1
1211045	1
1211047	1
1211049	1
1211051	1
1211061	2
1211063	2
1211065	2
1211069	2
1211067	2
1211071	2
1211073	2
1211075	2
1211077	2
1211079	2

1211081	2
1211091	3
1211093	3
1211095	3
1211097	3
1211099	3
1211101	3
1211103	3
1211105	3
1211107	3
1211109	3
1211111	3
1211125	4
1211127	4
1211129	4
1211131	4
1211133	4
1211135	4
1211137	4
1211139	4
1211141	4
1211155	5
1211157	5

1211159	5
1211161	5
1211163	5
1211165	5
1211167	5
1211169	5
1211171	5
1211187	6
1211189	6
1211191	6
1211193	6
1211195	6
1211197	6
1211199	6
1211201	6
1211217	8
1211219	8
1211221	8
1211223	8
1211225	8
1211227	8
1211229	8
1211231	8

1211247	10
1211249	10
1211251	10
1211253	10
1211255	10
1211257	10
1211259	10
1211261	10