



## Tool balancer, medium-weight design

### Product information



With the help of the REMA spring balancers, electric and pneumatic tools can be operated with minimal weight and positioned at the correct height.

#### Properties

- Aluminum body.
- Specially designed coil spring ensures a low-noise run.
- Adjustable load capacity (button).
- Carabiner attached.
- Extra safety suspension, for safety chain.
- Flexible stainless steel cable.
- Resistance-free and wear-resistant cable guide.
- Adjustable cable length.
- Insulated suspension system.
- Adjustable load capacity by a handle.
- Spring break device; excluding 9320.
- Type 9320 t / m 9340 fixation at 1 point.

#### Applications

- For working with grinders, staplers, drills etc.

**Marking:** According to standard, CE-marked

**Standard:** EN 12100, DIN-EN 15112

| Part Code | GTIN No.      | Model | Length<br>m | Max. working load<br>kg | Weight<br>kg | Delivery time |
|-----------|---------------|-------|-------------|-------------------------|--------------|---------------|
| 0629320   | 8717365000041 | 9320  | 2           | 1-2,5                   | 2            | 7             |
| 0629321   | 8717365020018 | 9321  | 2           | 2-4                     | 2            | 7             |
| 0629322   | 8717365000065 | 9322  | 2           | 4-6                     | 2.3          | 7             |
| 0629323   | 8717365000072 | 9323  | 2           | 6-8                     | 2.5          | 3             |
| 0629336   | 8717365258824 | 9336  | 2,5         | 2-4                     | 2.9          | 3             |
| 0629346   | 8717365258879 | 9346* | 2,5         | 2-4                     | 3            | 3             |
| 0629337   | 8717365258831 | 9337  | 2,5         | 4-6                     | 3.2          | 7             |
| 0629347   | 8717365258886 | 9347* | 2,5         | 4-6                     | 3.3          | 7             |
| 0629338   | 8717365258848 | 9338  | 2,5         | 6-8                     | 3.5          | 7             |
| 0629348   | 8717365258893 | 9348* | 2,5         | 6-8                     | 3.6          | 3             |
| 0629339   | 8717365258855 | 9339  | 2,5         | 8-10                    | 3.7          | 7             |
| 0629349   | 8717365258909 | 9349* | 2,5         | 8-10                    | 3.8          | 3             |
| 0629340   | 8717365258862 | 9340  | 2,5         | 10-14                   | 4            | 7             |
| 0629350   | 8717365258916 | 9350* | 2,5         | 10-14                   | 4.1          | 3             |

# Blueprint

