



## RSL - Electric Scaffold Winch 230 V

### Product information

**NEW**

The Rema® RSL Scaffold Winch, a powerful single-phase lifting solution capable of handling loads up to 300 kg with a working height of 30 meters, perfect for safe and efficient lifting on any construction site.

#### Kenmerken

- Safety hook for secure load handling.
- 30 meters working height for extensive reach.
- Operates on 230V single-phase for easy integration.
- Emergency stop for enhanced safety in operation.

**Marking:** CE-marked

Part Code	Diameter mm	WLL ton	Lifting height m	Lifting speed m/min	Number of falls	Model	Weight kg
286001	4	0.15	30	15	1	RSL-150	20
286011	-	0.15	-	-	-	Support arm RSL-150	-
286003	5	0.2	30	20.1	1	RSL-200	26
286013	-	0.2	-	-	-	Support arm RSL-200	-
286017	-	0.2	-	-	-	Clamp set RSL-150/200	-
286005	5	0.3	30	20.1	1	RSL-300	43
286015	-	0.3	-	-	-	Support arm RSL-300	-
286019	-	0.3	-	-	-	Bracket RSL-300	-
286007	-	-	-	-	-	Stand 195-300 cm	-
286009	-	-	-	-	-	Stand 101-145 cm	-

## Blueprint

